## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

OIPE



DATE: 10/09/2001 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/899,429 TIME: 09:32:34

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\I899429.raw

```
3 <110> APPLICANT: Hauptmann, Rudolph
                    Himmler, Adolph
                    Maurer-Fogy, Ingrid
                    Stratowa, Christian
  Stratowa, Christian
8 <120> TITLE OF INVENTION: TWF Receptors, TWF Binding From the last past of the formula of the last of th
11 <130> FILE REFERENCE: 98,385-J
13 <140> CURRENT APPLICATION NUMBER: 09/899,429
14 <141> CURRENT FILING DATE: 2001-07-03
16 <150> PRIOR APPLICATION NUMBER: 09/792,356
17 <151> PRIOR FILING DATE: 2000-02-23
19 <150> PRIOR APPLICATION NUMBER: 08/477,639
20 <151> PRIOR FILING DATE: 1955-06-07
22 <150> PRIOR APPLICATION NUMBER: 08/383,676
23 <151> PRIOR FILING DATE: 1995-02-01
25 <150> PRIOR APPLICATION NUMBER: 08/153,287
26 <151> PRIOR FILING DATE: 1993-11-17
28 <150> PRIOR APPLICATION NUMBER: 07/821,750
29 <151> PRIOR FILING DATE: 1992-01-02
31 <150> PRIOR APPLICATION NUMBER: 07/511,430
32 <151> PRIOR FILING DATE: 1990-04-20
34 <160> NUMBER OF SEQ ID NOS: 87
36 <170> SOFTWARE: PatentIn Ver. 2.0
38 <210> SEQ ID NO: 1
39 <211> LENGTH: 1368
40 <212> TYPE: DNA
41 <213> ORGANISM: Homo sapiens
43 <220> FEATURE:
44 <221> NAME/KEY: CDS
45 <222> LOCATION: (1)..(1368)
47 <220> FEATURE:
48 <221> NAME/KEY: sig_peptide
49 <222> LOCATION: (1)..(87)
51 <220> FEATURE:
52 <221> NAME/KEY: misc_feature
53 <222> LOCATION: (88)..(120)
54 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
                   extracellular proteases following secretion.
57 <220> FEATURE:
58 <221> NAME/KEY: misc_feature
59 <222> LOCATION: (606)..(633)
60 <223> OTHER INFORMATION: Portion of TNF-BP pro protein cleaved by
                   extracellular proteases following secretion.
63 <400> SEQUENCE: 1
64 atg ggc ctc tcc acc gtg cct gac ctg ctg ctg cca ctg gtg ctc ctg
                                                                                                                                                         48
65 Met Gly Leu Ser Thr Val Pro Asp Leu Leu Pro Leu Val Leu Leu
                                                                                        10
```

66

1

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

68 gag ct															96
69 Glu Le 70	u Leu	Val 20	Gly	Ile	Tyr	Pro	Ser 25	Gly	Val	Ile	Gly	Leu 30	Val	Pro	
70 72 cac ct	a ggg		agg	gag	aag	aga		agt	gtg	tgt	ccc		gga	aaa	144
73 His Le											Pro				
74	35					40					45	<b>.</b>			100
76 tat at 77 Tyr Il															192
77 1y1 11 78 5		PIO	GIII	ASII	55	361	116	Cys	Cys	60	цуз	Cys	1113	цу	
80 qqa ac	_	ttg	tac	aat		tgt	cca	ggc	ccg		cag	gat	acg	gac	240
81 Gly Th															
82 65				70					75					80	
84 tgc ag															288
85 Cys Ar	g GIu	Cys	G1u 85	Ser	GTĀ	ser	Pne	Thr 90	Ala	ser	GLu	Asn	н1S 95	Leu	
86 88 aga ca	c tac	ctc		tac	tcc	aaa	tac		ааσ	αаа	atσ	aat.		at.a	336
89 Arg Hi															
90	1-	100		-1-		•	105	_	-			110			
92 gag at															384
93 Glu Il		Ser	Cys	Thr			Arg	Asp	Thr	Val		Gly	Cys	Arg	
94	115					120					125		<b>.</b> ~ ~	++-	422
96 aag aa 97 Lys As															432
98 13		ıyı	AIG	птэ	135	115	Ser	GIU	N3II	140	riic	OIII	Cys	1110	
100 aat t		cto	tqc	ctc		ggg	acc	gtg	cac		tcc	tgc	cag	gag	480
101 Asn C															
102 145				150					155					160	
104 aaa c															528
105 Lys G	In Ası	1 Thr	vaı 165	_	Thr	Cys	HIS	170		Pne	Pne	Leu	175		
106 108 aac g	aa tai	atc			aσt	aac	tat			agg	cta	ааа			576
100 ddc 9 109 Asn G															
110	_	180		_			185					190			
112 aag t															624
113 Lys L	_		Pro	Gln	Ile			Val	. Lys	Gly			Asp	Ser	
114 116 ggc a	195		ata	++~		200		2++	++0	+++	205		tac	ctt	672
110 ggc a 117 Gly T															072
_	10				215					220			-1-		
120 tta t		ctc	ttc	att			atg	tat	cgc	tac	caa	cgg	tgg	aag	720
121 Leu S	er Lei	ı Leu	Phe	Ile	Gly	Leu	Met	Tyr	Arg	Tyr	Gln	Arg	Trp		
122 225				230					235					240	
124 tcc a				att	gtt										768
125 Ser L			Ser	att Ile	gtt			Lys	Ser				Lys	Glu	768
125 Ser L 126	ys Lei	ı Tyr	Ser 245	att	gtt Val	Cys	Gly	Lys 250	Ser	Thr	Pro	Glu	Lys 255	Glu	768 816
125 Ser L	ys Lei ag cti	Tyr gaa	Ser 245 gga	att Ile act	gtt Val act	Cys	Gly aag	Lys 250 ccc	Ser ctg	Thr	Pro	Glu	Lys 255 cca	Glu agc	
125 Ser L 126 128 ggg g	ys Lei ag cti lu Lei	Tyr gaa Glu 260	Ser 245 gga Gly	att Ile act Thr	gtt Val act Thr	Cys act Thr	aag Lys 265	Lys 250 ccc Pro	Ser ctg	Thr gcc Ala	Pro cca Pro	aac Asn 270	Lys 255 cca Pro	Glu agc Ser	

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

	Phe	Ser		Thr	Pro	Gly	Phe		Pro	Thr	Leu	Gly		Ser	Pro	Val	
134			275					280					285				010
	ccc																912
	Pro		Ser	Thr	Phe	Thr		Ser	Ser	Thr	Tyr		Pro	GLY	Asp	Cys	
138		290					295					300					
	ccc																960
141	Pro	Asn	Phe	Ala	Ala	Pro	Arg	Arg	Glu	Val		Pro	Pro	Tyr	Gln		
	305					310					315					320	
	gct																1008
145	Ala	Asp	Pro	Ile	Leu	Ala	Thr	Ala	Leu		Ser	Asp	Pro	Ile		Asn	
146					325					330					335		
	ccc																1056
149	Pro	Leu	Gln	Lys	Trp	Glu	Asp	Ser	Ala	His	Lys	Pro	Gln		Leu	Asp	
150				340					345					350			
	act																1104
153	Thr	Asp	Asp	Pro	Ala	Thr	Leu	Tyr	Ala	Val	Val	Glu		Val	Pro	Pro	
154			355					360				•	365				
	ttg																1152
157	Leu	Arg	Trp	Lys	Glu	Phe	Val	Arg	Arg	Leu	Gly	Leu	Ser	Asp	His	Glu	
158		370					375					380					
160	atc	gat	cgg	ctg	gag	ctg	cag	aac	ggg	cgc	tgc	ctg	cgc	gag	gcg	caa	1200
161	Ile	Asp	Arg	Leu	Glu	Leu	Gln	Asn	Gly	Arg	Cys	Leu	Arg	Glu	Ala	Gln	
162	385					390					395					400	
164	tac	agc	atg	ctg	gcg	acc	tgg	agg	cgg	cgc	acg	ccg	cgg	cgc	gag	gcc	1248
165	Tyr	Ser	Met	Leu	Ala	Thr	Trp	Arg	Arg	Arg	Thr	Pro	Arg	Arg	Glu	Ala	
166					405					410					415		
168	acg	ctg	gag	ctg	ctg	gga	cgc	gtg	·ctc	cgc	gac	atg	gac	ctg	ctg	ggc	1296
169	Thr	Leu	Glu	Leu	Leu	Gly	Arg	Val	Leu	Arg	Asp	Met	Asp	Leu	Leu	Gly	
170				420					425					430			
172	tgc	ctg	gag	gac	atc	gag	gag	gcg	ctt	tgc	ggc	ccc	gcc	gcc	ctc	ccg	1344
173	Cys	Leu	Glu	Asp	Ile	Glu	Glu	Ala	Leu	Cys	Gly	Pro	Ala	Ala	Leu	Pro	
174			435					440					445				
176	ccc	gcg	ccc	agt	ctt	ctc	aga	tga								•	1368
177	Pro	Ala	${\tt Pro}$	Ser	Leu	Leu	Arg										
178		450					455										
181	<210	)> SE	EQ II	ON C	: 2												
182	<211	l> LE	ENGTI	I: 45	55												
183	<212	2> TY	PE:	PRT					•								
184	<213	3> OF	RGANI	ISM:	Homo	sap	oiens	3									
186	<400	)> SE	EQUE	ICE:	2												
187	Met	Gly	Leu	Ser	Thr	Val	Pro	Asp	Leu	Leu	Leu	Pro	Leu	Val	Leu	Leu	
188	1				5					10					15		
190	Glu	Leu	Leu	Val	Gly	Ile	Tyr	Pro	Ser	Gly	Val	Ile	Gly	Leu	Val	Pro	
191				20	-		_		25	_			_	30			
	His	Leu	Gly	Asp	Arg	Glu	Lys	Arg	Asp	Ser	Val	Cys	Pro	Gln	Gly	Lys	
194			35	_	-		_	40	-			•	45				
	Tyr	Ile	His	Pro	Gln	Asn	Asn	Ser	Ile	Cys	Cys	Thr	Lys	Cys	His	Lys	
197	-	50					55			_	-	60					
199	Gly	Thr	Tyr	Leu	Tyr	Asn	Asp	Cys	Pro	Gly	Pro	Gly	Gln	Asp	Thr	Asp	

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

200	65					70					75					80
202	Cys	Arg	Glu	Cys	Glu	Ser	Gly	Ser	Phe	Thr	Ala	Ser	Glu	Asn	His	Leu
203	•	_		-	85		_			90					95	
205	Arg	His	Cys	Leu	Ser	Cys	Ser	Lys	Cys	Arg	Lys	Glu	Met	Gly	Gln	Val
206				100					105					110		
208	Glu	Ile	Ser	Ser	Cys	Thr	Val	Asp	Arg	Asp	Thr	Val	Cys	Gly	Cys	Arg
209			115					120					125			
211	Lys	Asn	Gln	Tyr	Arg	His	Tyr	Trp	Ser	$\operatorname{Glu}$	Asn	Leu	Phe	Gln	Cys	Phe
212		130					135					140				
214	Asn	Cys	Ser	Leu	Cys	Leu	Asn	Gly	Thr	Val	His	Leu	Ser	Cys	Gln	Glu
215	145					150					155					160
217	Lys	Gln	Asn	Thr	Val	Cys	Thr	Cys	His	Ala	Gly	Phe	Phe	Leu	Arg	Glu
218					165					170					175	
220	Asn	Glu	Cys	Val	Ser	Cys	Ser	Asn	Cys	Lys	Lys	Ser	Leu	Glu	Cys	Thr
221				180					185					190		
223	Lys	Leu	Cys	Leu	Pro	Gln	Ile	Glu	Asn	Val	Lys	Gly	Thr	Glu	Asp	Ser
224			195					200					205			
226	Gly		Thr	Val	Leu	Leu	Pro	Leu	Val	Ile	Phe		Gly	Leu	Cys	Leu
227		210					215					220				
		Ser	Leu	Leu	Phe		Gly	Leu	Met	Tyr		Tyr	Gln	Arg	Trp	
	225					230	_				235					240
	Ser	Lys	Leu	Tyr		He	Val	Cys	GLy		Ser	Thr	Pro	Glu		GLu
233	-1	-1	_	-1	245	-1	1	m1	_	250					255	<b>a</b>
	GTA	Glu	Leu		GIY	Thr	Thr	Thr	_	Pro	Leu	Ата	Pro		Pro	Ser
236	nh-	C	D	260	Dwa	<b>~1</b>	Dha	mh m	265	mb~	T 0	c1	Dha	270	Dwo	wa 1
	Pne	ser	275	THE	PIO	GIY	Phe	280	PLO	TIII	Leu	СТУ	285	ser	PIO	vai
239	Dro	Cor		Пhт	Dho	mb r	Ser		cor	Thr	Фит	Thr		C117	λαn	Cvc
241	PIO	290	ser	TIIT	Pile	1111	295	ser	ser	1 111	тут	300	PIO	GIY	ASP	Cys
	Dro		Dho	λla	Δla	Dro	Arg	Δra	Glu	Val	Δla		Dro	ጥህዮ	Gln	Glv
	305	กรแ	FIIC	AIU	AIG	310	пту	пта	Olu	vui	315	110	110	+ 7 +	OIII	320
		Agn	Pro	Tle	Len		Thr	Ala	Len	Δla		Asn	Pro	Tle	Pro	
248					325					330					335	
	Pro	Leu	Gln	Lvs		Glu	Asp	Ser	Ala	-	Lvs	Pro	Gln	Ser		Asp
251				340					345		-1-			350		
	Thr	Asp	Asp	Pro	Ala	Thr	Leu	Tyr		Val	Val	Glu	Asn		Pro	Pro
254			355	_				360					365			
256	Leu	Arq	Trp	Lys	Glu	Phe	Val	Arq	Arq	Leu	Gly	Leu	Ser	Asp	His	Glu
257		370	-	-			375	_	_		-	380		-		
259	Ile	Asp	Arg	Leu	Glu	Leu	Gln	Asn	Gly	Arg	Cys	Leu	Arg	Glu	Ala	Gln
	385	_	_			390			_	_	395		_			400
262	Tyr	Ser	Met	Leu	Ala	Thr	Trp	Arg	Arg	Arg	Thr	Pro	Arg	Arg	Glu	Ala
263					405					410					415	
265	Thr	Leu	Glu	Leu	Leu	Gly	Arg	Val	Leu	Arg	Asp	Met	Asp	Leu	Leu	Gly
266				420					425					430		
	Cys	Leu		Asp	Ile	Glu	Glu		Leu	Cys	Gly	Pro	Ala	Ala	Leu	Pro
269			435					440					445			
	Pro		Pro	Ser	Leu	Leu	Arg									
272		450					455									

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\1899429.raw

```
275 <210> SEQ ID NO: 3
276 <211> LENGTH: 483
277 <212> TYPE: DNA
278 <213> ORGANISM: Homo sapiens
280 <220> FEATURE:
281 <221> NAME/KEY: CDS
282 <222> LOCATION: (1)..(483)
284 <400> SEQUENCE: 3
285 gat agt gtg tgt ccc caa gga aaa tat atc cac cct caa aat aat tcg
                                                                       48
286 Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser
                                                                       96
289 att tgc tgt acc aag tgc cac aaa gga acc tac ttg tac aat gac tgt
290 Ile Cys Cys Thr Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys
                 20
293 cca ggc ccg ggg cag gat acg gac tgc agg gag tgt gag agc ggc tcc
                                                                       144
294 Pro Gly Pro Gly Gln Asp Thr Asp Cys Arg Glu Cys Glu Ser Gly Ser
                                  40
297 ttc acc gct tca gaa aac cac ctc aga cac tgc ctc agc tgc tcc aaa
                                                                       192
298 Phe Thr Ala Ser Glu Asn His Leu Arg His Cys Leu Ser Cys Ser Lys
301 tgc cga aag gaa atg ggt cag gtg gag atc tct tct tgc aca gtg gac
                                                                       240
302 Cys Arg Lys Glu Met Gly Gln Val Glu Ile Ser Ser Cys Thr Val Asp
303 65
                                              75
                         70
                                                                       288
305 cgg gac acc gtg tgt ggc tgc agg aag aac cag tac cgg cat tat tgg
306 Arg Asp Thr Val Cys Gly Cys Arg Lys Asn Gln Tyr Arg His Tyr Trp
                     85
309 agt gaa aac ctt ttc cag tgc ttc aat tgc agc ctc tgc ctc aat ggg
                                                                       336
310 Ser Glu Asn Leu Phe Gln Cys Phe Asn Cys Ser Leu Cys Leu Asn Gly
                100
                                     105
313 acc gtg cac ctc tcc tgc cag gag aaa cag aac acc gtg tgc acc tgc
                                                                       384
314 Thr Val His Leu Ser Cys Gln Glu Lys Gln Asn Thr Val Cys Thr Cys
315
            115
317 cat gca ggt ttc ttt cta aga gaa aac gag tgt gtc tcc tgt agt aac
                                                                       432
318 His Ala Gly Phe Phe Leu Arg Glu Asn Glu Cys Val Ser Cys Ser Asn
                            135
321 tgt aag aaa agc ctg gag tgc acg aag ttg tgc cta ccc cag att gag
                                                                       480
322 Cys Lys Lys Ser Leu Glu Cys Thr Lys Leu Cys Leu Pro Gln Ile Glu
323 145
                                             155
                                                                       483
325 aat
326 Asn
329 <210> SEQ ID NO: 4
330 <211> LENGTH: 161
331 <212> TYPE: PRT
332 <213> ORGANISM: Homo sapiens
334 <400> SEQUENCE: 4
335 Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser
     1
338 Ile Cys Cys Thr Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys
                                      25
```

Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/899,429

DATE: 10/09/2001 TIME: 09:32:35

Input Set : A:\98385Jseq.txt

Output Set: N:\CRF3\10092001\I899429.raw

L:690 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:818 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:850 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:888 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:1422 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:1442 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:1488 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:1554 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1629 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:1670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1673 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33
L:1692 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1695 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:1728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34